



PERMEABLE PAVERS



PERMEABLE PAVERS



Over several years, our extensive portfolio of permeable pavers has been proven via many successful project installations. Our permeable pavers mitigate stormwater flow rates and improve water quality. Enlarged spacer lugs on the sidewalls of these units create quarter-inch joints which, when filled with a properly-sized aggregate, drain water to the permeable base. This action filters stormwater, reduces peak flow rates, and can recharge groundwater sources to create a sustainable pavement option.

ECO-CITYLOCK®



The micro chamfer create a contemporary aesthetic and deliver a smooth rolling surface, making Eco-CityLock ideal for pedestrian and wheeled traffic.



4x8 60mm



5x10 80mm



5x10 Herr 80mm



4x12 100mm



4x16 100mm


L-10 80mm (Bundled)



Key

L

Demi 80mm (Bundled)



4x8

8x8

8x12



ECO-PANORAMA™



Textured surfaces and softened edges create the timeless natural appeal of weathered flagstone.

Eco-Panorama Demi 80mm (Bundled)



4x8



8x8



8x12

GRASSTONE™




Grasstone, made with an open-void, interlocking lattice design creates a flat surface for intermittent paving applications. The open void allows for on-site infiltration of stormwater or revegetation.



Grasstone II 80mm



Grasstone II 100mm



UNIT DIMENSIONS

ECO-CITYLOCK

Product	4x8	5x10	5x10 Herr	4x12	4x16	L-10
Width (in.)	4 (101.6mm)	5 (127mm)	5 (127mm)	4 (101.6mm)	4 (101.6mm)	10 (254mm)
Length (in.)	8 (203.2mm)	10 (254mm)	10 (254mm)	12 (304.8mm)	16 (406.4mm)	5 (127mm)
Height (in.)	2.36 (60mm)	3.15 (80mm)	3.15 (80mm)	4 (101.6mm)	4 (101.6mm)	3.15 (80mm)
Application	Light ²	Heavy ⁴	Heavy ⁴	Heavy ⁴	Light ²	Heavy ⁴
Product #	314	315	324	313	312	316

ECO-CITYLOCK Demi

Product	4x8	8x8	8x12
Width (in.)	8 (203.2mm)	8 (203.2mm)	8 (203.2mm)
Length (in.)	4 (101.6mm)	8 (203.2mm)	12 (304.8mm)
Height (in.)	3.15 (80mm)	3.15 (80mm)	3.15 (80mm)
Application	Medium ³		
Product #	317		

ECO-PANORAMA Demi

Product	4x8	8x8	8x12
Width (in.)	8 (203.2mm)	8 (203.2mm)	8 (203.2mm)
Length (in.)	4 (101.6mm)	8 (203.2mm)	12 (304.8mm)
Height (in.)	3.15 (80mm)	3.15 (80mm)	3.15 (80mm)
Application	Light ²		
Product #	366		

GRASSTONE

Product	Grasstone II	Grasstone II
Width (in.)	15.75 (400mm)	15.75 (400mm)
Length (in.)	23.62 (600mm)	23.62 (600mm)
Height (in.)	3.15 (80mm)	4 (101.6mm)
Application	Pedestrian ¹	Light ²

Permeable pavers are perfect for:



- Before specifying a specific product, please confirm availability with your local Keystone Hardscapes producer.
- Complete installation and specification details are available by contacting your Keystone Hardscapes Sales Representative.

TYPICAL CROSS SECTION

